


The Yenko'STINGER





If your idea of a gutsy Grand Touring sports car can be met by a nose-heavy, large bore bomb that has been beefed up to imitate sports car performance, then the Yenko Stinger is not for you.

Here is America's only air-cooled rear engine sports car with independent fourwheel suspension. Inspired by the inherently excellent design of the Corvair Corsa, the Stinger was created to handle in true GT tradition. It transforms sophisticated chassis engineering into a competition-bred road machine that will make you want to do the chauffeuring.

Inside there are two honest bucket seats (three-passenger removable rear seat included); a four-speed, full-synchro, closer-ratio gearber, responsive, feather-light, quick steering (3.0 turns lock to lock). And that's just the beginning.

It corners like it "invented rails." Represented dual master cylinders command the heavy duty brakes. A few racing modifications make the Stinger a winner in Class D Production of the Sports Car Club of America or Class H Stock (NASCAR) at the drags.

Even the basic Stinger (Stage C) a fine five-passenger family car, offers you an eager 160 horsepower in a race-suspended hassis. A dual-purpose Stinger for the serious rallyist and the occasional race driver basis a Stage II tune that unleashes a husky 190 horses. Stage III is all spirit with 220 horses for the street — the "detuned" race car. Stage IV is something else — with ALL the racing goodies at 240 horsepower. For this one you'll need a competition license, a race course, and lots of trophy space. And, if it's brute horsepower you're after, try Stage V — up to 250 horsepower. Stinger anyone? you're after, try Stage V — up to 250 horsepower. Stinger anyone?

DON YENKO

YENKO STINGER TUNE SPECIFICATIONS

STAGE I. 160 horsepower. Recommended for street use or for the customer who wishes to do his own high performance preparation. (Full warranty.)

Dual master cylinder brake system. Fiberglas engine deck lid with spoiler, in-corporating functional, adjustable air scoops.

Fiberglas rear pillar Landau panels. Stinger trim, including tri-striping and color key painting; with dechrome customizing.

Tuned exhaust headers. Seven-quart finned aluminum oil pan.
M-400 Moraine connecting rod and main bearings.
Tuff-Trided crankshaft.
Calibrated carburetors with modified linkage.

Steel pack mufflers with chromed tailpipes. Crankcase ventilator. Chrome air cleaners (4).
Constant tension belt retainer.
Stinger emblems.
Vinyl trimmed dash.
Rear compartment paneling.

OPTIONS	AND	ACCESSORIES	(Installed)

3.89 rear axle ratio Deluxe seat belts Competition seat belts (includes heavy duty installation) Bumper guards (front)	\$ 10.00	Radio, pushbutton Radio, AM/FM Sports styled walnut grained wheel with telescoping	57.40 133.80
Bumper guards (rear) Heater and defroster Head rests (2) 10 gallon aux. gas tank with shut off valve Special metallic brakes (includes special drums) Power brakes Heavy duty valve guides	70.70 42.15 85.00 79.45	adjustment Traffic hazard warning switch Mag-style wheel covers Simulated wire wheels Yenko roll bar 700 x 13 Michelin X Tires (5) and Tubes, exchange 13 x 7 steel wheels (2)	63.20 57.95

NOTE: Stages II, III, and IV are merely modifications made to the Stage I engine. All stages are streetable.

STAGE II. 190 horsepower. Recommended for high-speed touring, rallying, or dual-purpose race machine. Same as Stage 1, plus the following: \$4020.00

High performance Stinger camshaft (in-cludes heavy duty valve springs and

High performance Stinger camshaft (includes heavy duty valve springs and retainers).

Lightweight flywheel.

Modified engine cooling fan.

Notched pistons for increased valve of a street machine. Tested at 190 dynamometer clutch block horsepower, the Stage II machine will easily out-accelerate all of the street variety V-8's and most of the so-called the performance cars.

Notched pistons for increased valve of ance.

Select fit piston skirt cleatines.

Select fit piston skirt cleatines.

Select fit main bearings.

Deep sump oil pan pickup.

High compression (10 to 1) cylinder heads.

Select fit main bearings.

Deep sump oil pan pickup.

High compression (10 to 1) cylinder heads.

STAGE III. 220 horsepower. For the customer the following:

High compression cylinder heads (10.5 to 1), includes plishing, porting, relieving, shaving.

Honed cylinder walls to racing clearances.

whereants all out street performance. Same as Stages I and II, plus \$4420.00

Full float piston fit using high compression forged pistons. Adjust piston deck height.

Distributor, high performance — reworked.


STAGE IV. 240 horsepower for the is the basic Stage III engine. Total pice is according to racing options


STAGE IV. 240 horsepower for the production competition. This \$4420.00 \$4420.00


STAGE V. 250 horsepower. Illegal for SCCA racing. Includes .060 pistons.

\$5079.00


CONVERTIBLE AVAILABLE, SPECIAL ORDER










	STOP ITEMS	Price
Photo	Custom Stinger segmented, sintered metallic brake linings, complete set of eight. Adjustable rear brake bias restricting valve with fitting. Tailored Stinger brake servo booster unit with bracket. Installation kit for brake servo booster unit.	\$ 49.05 26.50 46.50 28.00
Photo		30.00
	GO ITEMS	
Photo	Close ratio transmission — price available on request. Stinger lightweight flywheel (standard on the ges II, III, IV). High capacity secondary ignition wiring, Sec.	49.95 6.95
Photo	Stinger modified carburetor air horns with turn cut-off fix, each.	15.05
Photo	Stinger super high CFM enlarged conturi carburetors, each, exchange. Seven-quart cross baffled aluminum finned oil pan (standard on all Stages).	85.00
Photo		37.00 12.00
	Deep sump oil pan picker (standard on Stages II, III, IV).	17.00
Photo		119.90
	Camshaft only, outright.	89.90








	3.80 ring and ninion goar got	Price
Photo 6	3.89 ring and pinion gear set.	69.00
FIIOIO O	High performance engine cooling fan (standard on Stages II, III, IV).	16.95
,-	Stage II Stinger high compression (10.0 to 1) cylinder heads, exchange. Stage III Stinger extra-high compression (10.5 to 1) ported polished and	32.50
	Full floating high compression forged Stinger pistons with pine fitted &	218.00
	rings. Specify Stage III or Stage IV bore (standard Stages III & IV). Pistons only.	173.50 133.04
Photo 7	Daytona-type fan belt constant tension (standard all Stages). High velocity Stinger air cleaners, (a) (standard all Stages).	8.95 5.50
Photo 8	Complete Stinger exhaust system includes tuned headers, steel pack mufflers, U bends, clamps C rome tailpipes (standard all Stages). Headers only for above, set of two. Heavy duty crankcase vectors. Degree engraved harmonic balancer. Spark plug wire retainer, set of six.	68.35 44.85 9.95 9.50 9.95
Photo 9	Velocity stacks, set four. High velocity air deaners, standard all Stages, each.	28.00 5.50
Photo 10	Daytona-type competition oil cooler. Aircraft-type oil cooler, used. Installation hoses, brackets, and fitting kit for cooler.	125.00 50.00 60.00



Rear





Price 75.00

15.50

35.00 30.00

35.00

19.95

Competition-type heavy duty clutch pressure plate.	
Heavy duty competition-type clutch disc.	
SW heavy duty adjustable electric 10 psi fuel pump.	
Heavy duty armored fuel lines, set.	
13 x 7" heavy duty reinforced steel wheels, each.	
Stinger Koni shock absorbers, each, exchange.	


14.95
9.70


Fitch shock absorber stabilizer, set of four.	29.95
Oil pressure gauge kit.	13.60
Oil temperature gauge kit	30.00
Stinger Sun electric tachometer — 0 007000, 270° sweep transistorized	


Sunger Sun en	CULIC	tacilo.	meter -	CAN VOUC.	21	SWEEK	li alibibioli izcu	
in one linit				, , ,				47.90
Stinger heavy	duty	front	springs	(standard	all	Stages),	each.	8.75
Ctingen heary								4 95

Stinger heavy duty rear springs (standard all Stages), each. SHOW ITEMS Stinger cast aluminum recept covers, set of two. 29.95

7.95
77.95
65.00
150.00







	Racing-type, three spoke, deep dish steering wheel. 200,000 candle power driving lamp. AM/FM Stinger radio with antenna. MISCELLANEOUS ITEMS	Price 46.50 12.00 123.80
	Stinger Technical Manual Yenko roll bar (crash tested). Auxiliary 10 gallon gas tank, with installation brackets and hoses. Yenko fiberglas seats, less upholstery, each.	 3.00 69.95 75.00 20.00
Photo 11	Yenko fiberglas seats, upholstered, each	55.00 15.95
Photo 12	Stinger jacket patch.	17.95
Photo 12	Competition seat belts, each. Shoulder harness, each. Stinger jacket patch. Stinger pins — "Be a Swinger a Stinger"; "Help Stamp Out Tea-Stinger T-Shirts. Stinger car emblem	1.00 .75
Photo 12	Sunger 1-Snirts.	2.00
111010 12	G	3.00
	Firestone Indy tires 5.00—8.10 x 13 front, each. Firestone Indy tires 6.60—10.50 x 13 rear, each. Firestone tubes 5.50—8.10 x 13, each. Firestone tubes 6.60—10.50 x 13, each. Goodyear GP R2 tires 7.00 x 13, each. Goodyear tubes 7.00 x 13, each.	36.86 38.61 7.91 8.75 41.67 7.62



"IT HANDLES AS WELL AS ANY PRODUCTION SPONDER AND BETTER THAN MOST."

BE A STINGER IN A STINGER!

Manufactured and Distributed by

- STIRLING MOSS

YENKO SPORTSCARS

Canonsburg, Pennsylvania 15317 Telephone: 412/745-0100

25c Per Copy